

chemical resistance chart



- Suitable for continuous immersion
- Suitable for short term immersion
- Not suitable

	101 Metal Repair Paste	201 Ceramic Repair Paste	202 Ceramic Repair Fluid	203 Super Flow Ceramic Fluid	204 Heavy Duty Ceramic Paste	301 Epoxy Resin and Hardener	302 Epoxy Repair Cement	601 High Temp Repair Paste	602 High Temp Repair Fluid	603 High Temp Repair Spray Grade
Ammonium Hydroxide 20%	●	●	●	●	●	●	●	●	●	●
Ammonium Hydroxide +20%	●	●	●	●	●	●	●	●	●	●
Amyl Acetate	●	●	●	●	●	●	●	●	●	●
Aviation Fuel	●	●	●	●	●	●	●	●	●	●
Benzene	●	●	●	●	●	●	●	●	●	●
Brine	●	●	●	●	●	●	●	●	●	●
Calcium Carbonate	●	●	●	●	●	●	●	●	●	●
Calcium Chloride	●	●	●	●	●	●	●	●	●	●
Calcium Hydroxide	●	●	●	●	●	●	●	●	●	●
Calcium Hypochlorite	●	●	●	●	●	●	●	●	●	●
Carbonic acid Crude Oil	●	●	●	●	●	●	●	●	●	●
Crude Oil sour	●	●	●	●	●	●	●	●	●	●
Diesel Oil	●	●	●	●	●	●	●	●	●	●
Ethylene Glycol	●	●	●	●	●	●	●	●	●	●
Gasoline	●	●	●	●	●	●	●	●	●	●
Glycols	●	●	●	●	●	●	●	●	●	●
Hydrochloric Acid 10%	●	●	●	●	●	●	●	●	●	●
Hydrochloric Acid 20%	●	●	●	●	●	●	●	●	●	●
Hydrochloric Acid 20%+	●	●	●	●	●	●	●	●	●	●
Methyl Ethyl Ketone	●	●	●	●	●	●	●	●	●	●
Natural Gas	●	●	●	●	●	●	●	●	●	●
Nitric Acid 10%	●	●	●	●	●	●	●	●	●	●
Nitric Acid 20%	●	●	●	●	●	●	●	●	●	●
Petrol	●	●	●	●	●	●	●	●	●	●
Phenol 100%	●	●	●	●	●	●	●	●	●	●
Phenol 10%	●	●	●	●	●	●	●	●	●	●
Propane	●	●	●	●	●	●	●	●	●	●
Sewage	●	●	●	●	●	●	●	●	●	●
Sulphuric Acid 10%	●	●	●	●	●	●	●	●	●	●
Sulphuric Acid 20%	●	●	●	●	●	●	●	●	●	●
Sulphuric Acid +20%	●	●	●	●	●	●	●	●	●	●